

Arvados - Bug #17528

[Rails] package prints a backtrace on installation when the arvados config.yml file is not present/complete

04/13/2021 03:22 PM - Ward Vandewege

Status:	Resolved	Start date:	04/15/2021
Priority:	Normal	Due date:	
Assigned To:	Tom Clegg	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:	2021-04-28 bughunt sprint		
Description			
When installing workbench1 or rails API on a system without config.yml (or with an incomplete config.yml):			
Running transaction			
Installing : arvados-workbench-2.2.0~dev20210413145725-1.x86_64 1/1			
WARNING: Unsupported init system. Can't manage web service.			
WARNING: Web service (Nginx or Apache) not found.			
To override, set the WEB_SERVICE environment variable to the name of the service hosting the Rails server.			
For Debian-based systems, then reconfigure this package with dpkg-reconfigure.			
For RPM-based systems, then reinstall this package.			
Assumption: is configured to serve Rails from /var/www/arvados-workbench/current			
Assumption: and passenger run as apache			
Creating symlinks to configuration in /etc/arvados/workbench done.			
Running bundle install... done.			
Ensuring directory and file permissions done.			
Checking configuration for completeness...Called 'load' without the :safe option -- defaulting to safe mode.			
You can avoid this warning in the future by setting the SafeYAML::OPTIONS[:default_mode] option (to :safe or :unsafe).			
open /etc/arvados/config.yml: no such file or directory			
rake aborted!			
Keep-web service must be configured in Services.WebDAV and/or Services.WebDAVDownload			
/var/www/arvados-workbench/current/lib/config_validators.rb:23:in `validate_download_config'			
/var/www/arvados-workbench/current/config/arvados_config.rb:193:in `block in <top (required)>'			
/var/www/arvados-workbench/shared/vendor_bundle/ruby/2.5.0/gems/railties-5.2.4.5/lib/rails/railtie.rb:216:in `instance_eval'			
/var/www/arvados-workbench/shared/vendor_bundle/ruby/2.5.0/gems/railties-5.2.4.5/lib/rails/railtie.rb:216:in `configure'			
/var/www/arvados-workbench/shared/vendor_bundle/ruby/2.5.0/gems/railties-5.2.4.5/lib/rails/railtie.rb:174:in `configure'			
/var/www/arvados-workbench/current/config/arvados_config.rb:184:in `<top (required)>'			
/var/www/arvados-workbench/shared/vendor_bundle/ruby/2.5.0/gems/bootsnap-1.4.7/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:23:in `require'			
/var/www/arvados-workbench/shared/vendor_bundle/ruby/2.5.0/gems/bootsnap-1.4.7/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:23:in `block in require_with_bootsnap_lfi'			
/var/www/arvados-workbench/shared/vendor_bundle/ruby/2.5.0/gems/bootsnap-1.4.7/lib/bootsnap/load_path_cache/loaded_features_index.rb:92:in `register'			
/var/www/arvados-workbench/shared/vendor_bundle/ruby/2.5.0/gems/bootsnap-1.4.7/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:22:in `require_with_bootsnap_lfi'			
/var/www/arvados-workbench/shared/vendor_bundle/ruby/2.5.0/gems/bootsnap-1.4.7/lib/bootsnap/load_path_cache/core_ext/kernel_require.rb:31:in `require'			
/var/www/arvados-workbench/shared/vendor_bundle/ruby/2.5.0/gems/activesupport-5.2.4.5/lib/active_support/dependencies.rb:291:in `block in require'			
/var/www/arvados-workbench/shared/vendor_bundle/ruby/2.5.0/gems/activesupport-5.2.4.5/lib/active_s			

```

upport/dependencies.rb:257:in `load_dependency'
/var/www/arvados-workbench/shared/vendor_bundle/ruby/2.5.0/gems/activesupport-5.2.4.5/lib/active_s
upport/dependencies.rb:291:in `require'
/var/www/arvados-workbench/shared/vendor_bundle/ruby/2.5.0/gems/bootsnap-1.4.7/lib/bootsnap/load_p
ath_cache/core_ext/kernel_require.rb:49:in `require_relative'
/var/www/arvados-workbench/current/config/application.rb:31:in `'
/var/www/arvados-workbench/current/config/application.rb:29:in `'
/var/www/arvados-workbench/current/config/application.rb:28:in `'
/var/www/arvados-workbench/current/Rakefile:9:in `require'
/var/www/arvados-workbench/current/Rakefile:9:in `'
/var/www/arvados-workbench/shared/vendor_bundle/ruby/2.5.0/gems/rake-13.0.3/exe/rake:27:in `'
/usr/local/rvm/gems/ruby-2.5.8/bin/bundle:23:in `load'
/usr/local/rvm/gems/ruby-2.5.8/bin/bundle:23:in `'
/usr/local/rvm/gems/ruby-2.5.8/bin/ruby_executable_hooks:24:in `eval'
/usr/local/rvm/gems/ruby-2.5.8/bin/ruby_executable_hooks:24:in `'
(See full trace by running task with --trace)
failed.
Precompiling assets... skipped.

```

PLEASE NOTE:

The arvados-workbench package was not configured completely because /etc/arvados/config.yml needs some tweaking. Please refer to the documentation at <<http://doc.arvados.org/install/install-workbench-app.html#configure>> for more details.

When config.yml has been modified, reconfigure or reinstall this package.

```
Verifying : arvados-workbench-2.2.0~dev20210413145725-1.x86_64 1/1
```

```
Installed:
  arvados-workbench.x86_64 0:2.2.0~dev20210413145725-1
```

Complete!

The good: the package installs and tells the user what happened (config not good enough) and what to do (reconfigure/reinstall package).

The bad: the package needs to be reconfigured/reinstalled after config.yml is tweaked.

The ugly: there is a backtrace printed.

To close this bug, at a minimum, we should not print that backtrace.

For bonus points: ideally, the package reconfigure/reinstall step wouldn't be needed. Can we create a default that makes sense? Or use package dependencies to make sure config.yml is already in good shape before installation? How do other packages handle this kind of configuration requirement?

Subtasks:

Task # 17546: Review 17528-install-warnings	Resolved
---	-----------------

Related issues:

Related to Arvados - Story #11167: [Workbench] Remove arv-get file download f...	Resolved	07/24/2017
Related to Arvados - Bug #16470: Update to Rails 5.2	Resolved	08/05/2020

Associated revisions

Revision 71be4f14 - 04/20/2021 08:04 PM - Tom Clegg

Merge branch '17528-install-warnings'

fixes #17528

Arvados-DCO-1.1-Signed-off-by: Tom Clegg <tom@curii.com>

History

#1 - 04/13/2021 03:26 PM - Ward Vandewege

- Description updated

#2 - 04/13/2021 03:26 PM - Ward Vandewege

- Subject changed from [workbench] throws a backtrace on installation when the arvdos config.yml file is not present/complete to [workbench] package prints a backtrace on installation when the arvdos config.yml file is not present/complete

#3 - 04/13/2021 03:40 PM - Ward Vandewege

- Related to Story #11167: [Workbench] Remove arv-get file download fallback added

#4 - 04/14/2021 04:12 PM - Peter Amstutz

- Assigned To set to Nico César

#5 - 04/14/2021 04:20 PM - Peter Amstutz

- Description updated

- Subject changed from [workbench] package prints a backtrace on installation when the arvdos config.yml file is not present/complete to [Rails] package prints a backtrace on installation when the arvdos config.yml file is not present/complete

#6 - 04/14/2021 04:22 PM - Peter Amstutz

- Assigned To changed from Nico César to Tom Clegg

#7 - 04/15/2021 01:54 PM - Tom Clegg

- Status changed from New to In Progress

#8 - 04/15/2021 07:15 PM - Tom Clegg

Updates include:

- Set SafeYAML::OPTIONS to avoid useless warning from Workbench rake tasks (we had already done this in RailsAPI but not WB1)
- Remove stale \$RAILSPKG_SUPPORTS_CONFIG_CHECK from postinst script (it was always 1)
- In postinst, when running assets:precompile, set \$ARVADOS_CONFIG to the magic string "none", and recognize that in Rails config loaders to mean "don't even try loading site config"
- Remove obsolete check for empty BlobSigningKey (we've already added this check to arvdos-server config-check)

17528-install-warnings @ [03aade6dd988f91b1037f39754438846c4844cfb](https://ci.arvdos.org/view/Developer/job/developer-run-tests/2420/) -- <https://ci.arvdos.org/view/Developer/job/developer-run-tests/2420/>

Now "assets:precompile" does some things but fails due to missing "yarn" ... solution tbd.

#9 - 04/15/2021 08:10 PM - Tom Clegg

Rails uses the [non-]existence of the bin/yarn stub to indicate whether yarn is being used. Our assets are built with npm, so I removed bin/yarn to eliminate misleading log messages ("Yarn executable was not detected in the system. Download Yarn at <https://yarnpkg.com/en/docs/install>").

Setting ARVADOS_CONFIG=none in the "assets:precompile" step in run-build-packages.sh should eliminate misleading error messages at package build time.

It is unnecessary to run "assets:precompile" again at install time so I removed it from postinst.

17528-install-warnings @ [27004c7c4cffac0b61c3fb346e0bd9b155c3763c](https://ci.arvdos.org/view/Developer/job/developer-run-tests/2422/) -- <https://ci.arvdos.org/view/Developer/job/developer-run-tests/2422/>

#10 - 04/15/2021 08:11 PM - Tom Clegg

- Related to Bug #16470: Update to Rails 5.2 added

#11 - 04/15/2021 08:23 PM - Tom Clegg

Reverted accidental change to the "please update config and then reconfigure package" behavior. (It would be great to get rid of this requirement -- but not by breaking package install even more!)

17528-install-warnings @ [ef63296eb6fc46dc7261c45e5eb068d95eaa7ffd](https://ci.arvdos.org/view/Developer/job/developer-run-tests/2423/) -- <https://ci.arvdos.org/view/Developer/job/developer-run-tests/2423/>

#12 - 04/16/2021 06:24 PM - Nico César

review at [ef63296eb6fc46dc7261c45e5eb068d95eaa7ffd](https://ci.arvdos.org/view/Developer/job/developer-run-tests/2423/)

LGTM

#13 - 04/20/2021 08:09 PM - Tom Clegg

- % Done changed from 0 to 100

- Status changed from In Progress to Resolved

Applied in changeset [arvados|71be4f147153573074a3eff4bfa1be559bc091b5](#).

#14 - 11/16/2021 04:48 PM - Peter Amstutz

- Release set to 41