

## Arvados - Feature #17613

### "created\_by\_uuid" field

05/03/2021 06:57 PM - Peter Amstutz

<b>Status:</b>	New	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assigned To:</b>		<b>% Done:</b>	0%
<b>Category:</b>	API	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>			
<b>Description</b>			
<ul style="list-style-type: none"><li>• Filled in with same logic as "modified_by_user_uuid"</li><li>• read only field on the arvados object</li><li>• migration uses the logs table if possible, fills in "system user" if not</li><li>• requires updating API version</li><li>• requires updating Controller structs</li><li>• need to consider how this works with past version snapshots made by collection versioning<ul style="list-style-type: none"><li>◦ should follow whatever logic we decided on with "created_at"</li></ul></li></ul>			

### History

#1 - 05/03/2021 06:57 PM - Peter Amstutz

- Category set to API

#2 - 05/05/2021 03:38 PM - Peter Amstutz

- Description updated

#3 - 05/05/2021 03:42 PM - Peter Amstutz

- Description updated

#4 - 05/05/2021 03:47 PM - Peter Amstutz

- Description updated

#5 - 05/05/2021 03:49 PM - Peter Amstutz

- Description updated