

## Arvados - Bug #4265

### [Workbench] default .ssh/config instructions should specify cluster name

10/20/2014 05:17 PM - Tim Pierce

<b>Status:</b>	New	<b>Start date:</b>	
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assigned To:</b>		<b>% Done:</b>	0%
<b>Category:</b>	Workbench	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	Arvados Future Sprints		
<b>Description</b>			

#### History

##### #1 - 10/20/2014 05:21 PM - Tim Pierce

The instructions for updating .ssh/config that are listed at [https://workbench.qr1hi.arvadosapi.com/manage\\_account](https://workbench.qr1hi.arvadosapi.com/manage_account) should specify the cluster name instead of \*.arvados for every cluster, e.g.:

```
Host name      Login name     Command line
shell          twp            ssh twp@shell.qr1hi
```

```
~/ .ssh/config:
```

```
Host *.qr1hi
  ProxyCommand ssh -p2222 turnout@switchyard.qr1hi.arvadosapi.com -x -a $SSH_PROXY_FLAGS %h
```

Need to update documentation to match:

- doc/user/getting\_started/ssh-access-unix.html.textile.liquid

##### #2 - 10/20/2014 05:21 PM - Tim Pierce

- Subject changed from default .ssh/config instructions should specify cluster name to [Workbench] default .ssh/config instructions should specify cluster name

- Category set to Workbench

##### #3 - 10/20/2014 05:21 PM - Tim Pierce

- Story points set to 0.5