

## Arvados - Bug #6152

### [Docs] Eliminate `arv` dependency in compute node installer

05/27/2015 01:16 PM - Peter Amstutz

<b>Status:</b>	Resolved	<b>Start date:</b>	06/05/2015
<b>Priority:</b>	Normal	<b>Due date:</b>	
<b>Assigned To:</b>	Brett Smith	<b>% Done:</b>	100%
<b>Category:</b>	Documentation	<b>Estimated time:</b>	0.00 hour
<b>Target version:</b>	2015-06-10 sprint		
<b>Description</b>			
The ping script on the compute node install page uses arv node create. This adds a dependency on the entire Ruby stack that doesn't exist otherwise. Make it use the Python SDK instead (which is already installed earlier in the process) to avoid that and make the installation cleaner.			
<b>Subtasks:</b>			
Task # 6256: Review 6152-compute-node-no-arv-wip			<b>Resolved</b>

#### Associated revisions

##### Revision 456967e1 - 06/09/2015 02:29 PM - Brett Smith

Merge branch '6152-compute-node-no-arv-wip'

Closes #6152, #6256.

#### History

##### #1 - 05/27/2015 01:20 PM - Peter Amstutz

gpg --keyserver hkp://keys.gnupg.net --recv-keys 409B6B1796C275462A1703113804BB82D39DC0E3

##### #2 - 06/05/2015 07:29 PM - Brett Smith

- Project changed from Arvados Private to Arvados
- Subject changed from [Docs] Document requirement to have Ruby and arvados-cli installed on compute nodes to [Docs] Eliminate `arv` dependency in compute node installer
- Description updated
- Category set to Documentation
- Assigned To set to Brett Smith
- Target version changed from Bug Triage to 2015-06-10 sprint
- Story points set to 0.5

##### #3 - 06/05/2015 07:46 PM - Brett Smith

- Status changed from New to In Progress

##### #4 - 06/09/2015 02:19 PM - Ward Vandewege

Confirmed that this works, LGTM.

##### #5 - 06/09/2015 02:35 PM - Brett Smith

- Status changed from In Progress to Resolved

Applied in changeset arvados|commit:456967e1991ea8adc30038b60f5c34703b47b694.